Monitoring Data Record

Project Title: R	2-2000G (I-540)	COE Action ID:	199920387
			DWQ Number: <u>030114</u>
			e County (Sta.460+53 -L- to
459+80 -L- RT.			2 1
Date Constructi	on Completed: Apri	<u>il 2005</u> Mor	aitoring Year: (3) of 5
Ecoregion:	-	8 digit HUC	unit03020201
USGS Quad Na	ame and Coordinates	s:	
Rosgen	Classification:	Proposed Reach: E	25b
Length of Proje	ct: <u>312'</u> Urb	an or Rural: <u>Urba</u>	n Watershed Size:
Monitoring DA	TA collected by: M	. Green and J. Young	Date: <u>7/6/09</u>
Applicant Infor			
Name: 1	NCDOT Roadside E	Environmental Unit	
Address	: 1425 Rock Quarry	Road Raleigh, NC	27610
Telepho	ne Number: (919) 8	<u>361-3772</u> Em	ail address: mlgreen@ncdot.gov
Consultant Info	rmation:		
Name: _			
Address	:		
Telepho	ne Number:	Em	ail address:
Project	Status: Com	plete	
			rmit/ 401 Cert.): <u>Level</u> (1)2 3 ion 2 and Section 3
Monitoring Lo Permit States: each year for a survival, and vi- the first 5 year documented. To the required base	evel 1 requires composite NCDOT shall perfection of clars, NCDOT shall the bankfull events rankfull events do no	pletion of Section 1, Sect form the following coring period (summer hannel stability. If les I continue monitoring must occur during sepa of occur during the 5-y	
Monitoring Lo Permit States: each year for to survival, and vir the first 5 year documented. T the required bar consultation wite Section 1. PHOTO	evel 1 requires composite NCDOT shall perfection of clars, NCDOT shall the bankfull events rankfull events do no	pletion of Section 1, Sect form the following coring period (summer hannel stability. If les I continue monitoring must occur during sepa ot occur during the 5-y s, may determine that f	ion 2 and Section 3 components of Level I monitoring twice and winter): Reference photos, plan is than two bankfull events occur during until the second bankfull event is trate monitoring years. In the event that year monitoring period, the USACE, in
Monitoring Lo Permit States: each year for to survival, and violate first 5 year documented. The required bar consultation wite Section 1. PHOTO (Monitoring at all Total number of A total of 9 photo Permit States: PHOTO (Monitoring at all A total of 9 photo Permit States: PHOTO (Monitoring at all A total of 9 photo Permit States: Permit S	evel 1 requires composed NCDOT shall perfette 5 year monitor sual inspection of clars, NCDOT shall the bankfull events of the resource agencies of REFERENCE SITES all levels must complete to the perfette of reference photo otos were taken from NCDOT shall events of the perfette shall be a perfette shall b	pletion of Section 1, Sect form the following co- ring period (summer hannel stability. If les I continue monitoring must occur during sepa ot occur during the 5-y s, may determine that f this section)	ion 2 and Section 3 imponents of Level I monitoring twice and winter): Reference photos, plan is than two bankfull events occur during g until the second bankfull event is arate monitoring years. In the event that year monitoring period, the USACE, in further monitoring is not required.
Monitoring Lo Permit States: each year for to survival, and vir the first 5 yea documented. T the required bar consultation wite Section 1. PHOTO (Monitoring at al. Total number of A total of 9 pho Dates reference 7/6/09	evel 1 requires composed NCDOT shall perfection of clars, NCDOT shall when the bankfull events in the bankfull events do not the resource agencies. O REFERENCE SITES all levels must complete to the photos were taken from the photos have been shall events and the photos were taken from the photos have been shall events.	pletion of Section 1, Sect form the following coring period (summer hannel stability. If less continue monitoring must occur during separate occur during the 5-yes, may determine that furthis section) locations at this site: om 4 photo point locate taken at this site: 2/2	ion 2 and Section 3 imponents of Level I monitoring twice and winter): Reference photos, plan is than two bankfull events occur during g until the second bankfull event is arate monitoring years. In the event that year monitoring period, the USACE, in author monitoring is not required.
Monitoring Lo Permit States: each year for to survival, and vir the first 5 yea documented. T the required bar consultation wite Section 1. PHOTO (Monitoring at al.) Total number of A total of 9 pho Dates reference 7/6/09 Individual from	evel 1 requires composed NCDOT shall perfethe 5 year monitors sual inspection of clars, NCDOT shall the bankfull events of the resource agencies of REFERENCE SITES and the levels must complete the photos were taken from the photos have been the photos have been to make the photos have been the photos which is a subject to the photos have been the photos have been the photos have been the photos were taken from the photos have been the photos have	pletion of Section 1, Sect form the following coring period (summer hannel stability. If less I continue monitoring must occur during separate occur during the 5-yes, may determine that furthis section) locations at this site: 3/2 I photos can be obtain	ion 2 and Section 3 imponents of Level I monitoring twice and winter): Reference photos, plans than two bankfull events occur during until the second bankfull event is arate monitoring years. In the event that year monitoring period, the USACE, in further monitoring is not required. tions. 14/07, 7/16/07, 3/14/08, 6/11/08, 1/7/09

Section 2. <u>PLANT SURVIVAL</u> Attach plan sheet indicating reference photos.
Identify specific problem areas (missing, stressed, damaged or dead plantings):
Estimated causes, and proposed/required remedial action:
ADDITIONAL COMMENTS: Streambank reforestation was completed on 2/27/07. Streambank reforestation included black willow and silky dogwood live stakes and tulip poplar, sycamore, green ash, willow oak, and water oak bareroot seedlings. The planted live stakes and bareroot seedlings are surviving. Othe vegetation noted on site included red maple, sweetgum, alder, goldenrod, lespedeza, cattails, sedge, fennel, <i>Juncus</i> sp., pine, <i>Baccharis</i> sp., <i>Juncus</i> sp. and various grasses.

If required to complete Level 1 and Level 2 monitoring <u>only</u> stop here; otherwise, complete section 3.

Section 3. CHANNEL STABILITY

Visual Inspection: The entire stream project as well as each in-stream structure and bank stabilization/revetment structure must be evaluated and problems addressed.

Report on the visual inspection of channel stability. <u>Physical measurements of channel stability/morphology will not be required.</u> Include a discussion of any deviations from as-built and an evaluation of the significance of these deviations and whether they are indicative of a stabilizing or destabilizing situation.

The stream is stable for the Year 3 Summer Evaluation. NCDOT will continue to monitor this stream relocation.

Date	Station	Station	Station	Station	Station
	Number	Number	Number	Number	Number
Structure					
Type					
Is water					
piping					
through or					
around					
structure?					
Head cut or					
down cut					
present?					
Bank or scour					
erosion					
present?					
Other					
problems					
noted?					

NOTE: Attach separate narrative sheets to each monitoring report describing/discussing the overall monitoring results. Include the identification of specific problem areas/channel failures, estimated cause and proposed/required remedial action. This should include a brief discussion of any parameter that has changed significantly from as-built.

UT Neuse River



Photo Point #1 (Upstream)



Photo Point #1 (Upstream Looking at Culvert)



Photo Point #1 (Downstream)



Photo Point #2 (Upstream)



Photo Point #2 (Downstream)

Year 3 Summer – July 2009

UT Neuse River



Photo Point #3 (Upstream)



Photo Point #3 (Downstream)



Photo Point #4 (Upstream)



Photo Point #4 (Downstream)

